



20003310W

4.3" ICONA MANAGER SUPERVISOR, VIP SYSTEM, WHITE



Colour monitor with 3,5' touch display. Door entry monitor function with full-duplex hands-free function. Audio volume, call volume, colour, brightness and contrast adjustment. Automation function with control for lights, roller shutters, scenes, irrigation and climate. Anti-intrusion function with connection, disconnection, partial control and view system status options. Bracket included. All white colour. Dimensions 142.5x147x23mm.

AWARDS





20003310W

4.3" ICONA MANAGER SUPERVISOR, VIP SYSTEM, WHITE

GENERAL DATA

Height (mm)	142.5
Width (mm)	145.5
Depth (mm)	12
Colour	White

COMPATIBILITY

Home Automation system	Yes
------------------------	-----

ELECTRICAL SPECIFICATIONS

Supply voltage	12/24Vdc
----------------	----------

DOMOTIC FUNCTIONS

Lights management	Yes
Temperature and humidity control	Yes
Scenario management	Yes

MAIN FEATURES

Sensitive Touch technology	Yes
No. scenarios (n°)	50
No. of Simplehome buses (n°)	1
Max absorption (W)	6
Network connection	Si
B/W or colour display	Colour
Audio system	Yes
Desk base-mounted	Si
Multi-speed control (fan coil) with temperature sensor	Yes
SimpleHome home automation bus connection	Yes
Touch screen display	Yes
Ethernet ports (n°)	1



20003310W

4.3" ICONA MANAGER SUPERVISOR, VIP SYSTEM, WHITE

MAIN FEATURES

SimpleSafe anti-intrusion bus connection	Yes
Audio/video system	Yes
Weekly programming	Yes
Multi-speed control with integrated humidity sensor	Yes
Alarm function	Yes
Type of display	LCD
RS485 ports (n°)	1
Removable terminals	Yes
Proximity reader RFID	Yes
IP assignment	AUTO IP, DHCP, STATIC
Integrated temperature sensor	Yes
Bridging function from automation to anti-intrusion	Yes
Switchboard call function	Yes
Display resolution (HxV)	480x272pixel
Integrated humidity sensor	Yes
Integrated sensor temperature range measured (°C)	5 ÷ 30
Integrated probe temperature measurement resolution (°C)	0.1
Wall-mounted	Support art.6620
Actuator control function	Yes
Integrated probe set temperature resolution (°C)	0.1
Privacy conversation function	Yes
Induction loop function	Yes
Intercom function	Yes
Integrated sensor humidity reading range (%)	0 ÷ 100



20003310W

4.3" ICONA MANAGER SUPERVISOR, VIP SYSTEM, WHITE

MAIN FEATURES

Privacy function	Yes
Key button function	Yes
Integrated sensor humidity setting resolution (%)	1
Hands-free function	Yes
Full Duplex hands-free function	Yes
Temperature and humidity control for other climate zones	Yes
Automation management	Yes
Loads management	Yes
Climate management	Yes
Consumption management	Yes
Integrated sensor heating/cooling control	Yes
Scheduling management	Yes
Anti-intrusion system	Yes
Audio distribution system management	Yes
Timing management	Yes
Integrated sensor humidifying/dehumidifying control	Yes
Maximum number of scenarios managed (n°)	70
Daily/weekly programming	Yes
Integrated sensor local temperature regulation	Yes
Loudspeaker volume control	Yes
Ringtone volume control	Yes
SD or microSD card included for consumption and configuration	Yes
Integrated sensor status display	Yes
Operating temperature (°C)	5 ÷ 40



20003310W

4.3" ICONA MANAGER SUPERVISOR, VIP SYSTEM, WHITE

MAIN FEATURES


Intrusion detection system	Yes
Self Activation	Yes
Customisable ringtone	Yes



20003310W

4.3" ICONA MANAGER SUPERVISOR, VIP SYSTEM, WHITE

ACCESSORIES



6612A **DESK BASE FOR ICONA MONITOR**

Desk base installation accessory for Icona monitor. Dimensions 105x70x110mm.



6620 **WALL BRACKET FOR ICONA MONITOR**

Wall bracket for Icona monitor. Colour: White. Dimensions: 136.6x141.6x13.8mm.



6118 **PLANUX, SMART, ICONA CLIPS FOR DRY LINED WALLS**

Installation kit for plasterboard walls for Planux, Smart and Icona monitors.



6117 **FLUSH-MOUNTED BOX FOR PLANUX, SMART, ICONA MONITORS**

The accessory can be used for the tilt-adjustment fitting of art. 6122. Dimensions: 132X132X50 mm.