




5814

SIMPLEBUS 2 SYSTEM BASIC BRACKET FOR GENIUS MONITOR



Bracket for Simplebus 2 digital system, neededrequired to complete the Genius monitor. The pushbuttons on the monitor take on the door openeropen pushbutton function, the porter switchboard call or control for a generic actuator (relay art. 1256) and staircaseinternal lighting or video request pushbutton. Complete with DIP SWITCH with 8 positions for programming the user code. Fitted with branch terminal art. 1214/2G.



5814

SIMPLEBUS 2 SYSTEM BASIC BRACKET FOR GENIUS MONITOR

Maximum absorption (W)	160
MAIN FUNCTIONS	
Self Activation	Yes
GENERAL FEATURES	
Switchboard call function	Yes
Privacy conversation function	Yes
Privacy function	Yes
MAIN FEATURES	
Width (mm)	169
Height (mm)	197
Operating temperature (°C)	-5 ÷ 55
Maximum current absorption (mA)	160
FUNCTIONS	
Automatic gain control (AGC)	Yes
Actuator control function	Yes
COMPATIBILITY	
Simplebus 2 audio system	Yes
AUDIO/VIDEO FEATURES	
Audio/video system	Yes



5814

SIMPLEBUS 2 SYSTEM BASIC BRACKET FOR GENIUS MONITOR



1214/2G BRANCH TERMINAL TO BE USED WITH GENIUS MONITOR

Line branch terminal for GENIUS monitor. The terminal must be connected on the riser to be branched towards brackets or telephones.