



6602W

ICONA MONITOR, VIP H264



Flush-mounted (on box Art. 6117) or surface-mounted (with bracket Art. 6620) colour monitor with 4.3" 16/9 touch screen and hands-free full-duplex audio. Allows adjustment of backlighting intensity, contrast, audio volume and ringtone volume. Equipped as standard with sensitive touch controls for lock-release, audio activation, self-ignition, privacy service and 3 other controls for programmable functions, and door open and new message indicator LEDs. Standard floor door call and call repetition management, with alarm and panic inputs and micro SD Card slot. You can customise the ringtone and video memory function with an absent message. Can also be used on standard POE systems. Dimensions 142.5x147x23mm. Compatible with H.264 video format.

AWARDS




6602W
ICONA MONITOR, VIP H264
MAIN FEATURES

Audio system:	No
Audio/video system:	Yes
Flush-mounted:	Yes
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	Yes
Induction loop function:	Yes
Type of display:	LCD
Display size (inches):	4,3" 16:9
Touch screen display:	Yes
Display resolution (H x V):	480x272
B/W or colour display:	Colors
Product colour:	White RAL9003
Sensitive Touch technology:	Yes
Total buttons:	15
Comaptibility with Video Entry Comelit App :	No

FUNCTIONS

Actuator control function:	Yes
Self-ignition:	Yes
Switchboard call function:	Yes
Priority calls:	Yes
Intercom function:	Yes
Selective intercom call:	Yes
Call to multiple addresses:	Yes
Privacy function:	Yes
Doctor:	Yes
Redial:	Yes
Floor door call function:	Yes
Electronic bell:	Yes
Customisable ringtone:	Yes
Video memory:	Yes
Viewer energy consumption:	Yes
Alarm function:	Yes
Sound diffusion control:	Yes
Receiving text messages:	Yes
Images reception:	Yes
Privacy conversation function:	Yes
Key button function:	Yes


6602W
ICONA MONITOR, VIP H264
FUNCTIONS

Automatic gain control (AGC): Yes

HARDWARE SPECIFICATIONS

Removable terminals: Yes

Ethernet ports: Yes

SETTINGS

Loudspeaker volume control: Yes

Microphone volume control: Yes

Ringtone volume control: Yes

Display brightness control: Yes

Display contrast control: Yes

Display colour control: Yes

GENERAL DATA

Product height (inches): 5.61

Product width (inches): 5.79

Product depth (inches): 0.91

COMPATIBILITY

Vip system: Yes

TECHNICAL CHARACTERISTICS

Power supply voltage: 36 ÷ 57

Support SD card (card not in equipment): Yes

IP Rating: IP30

Operating temperature (°F): 23 ÷ 104

Video encoding: H.264

Product weight (oz): 1.54

Clamps: CFP AL PAN V- OUT1 IN1 S+S- V- OP+OP-

Network connection: RJ45

IP assignment: Auto IP



6602W

ICONA MONITOR, VIP H264


ACCESSORIES



6612

DESK BASE FOR ICONA MONITOR

Adjustable tilt desk base converts the Icona monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 145x190x120 mm.



6612A

DESK BASE FOR ICONA MONITOR



6617

FLUSH-MOUNTED BOX FOR PLASTERBOARD. ICONA.

Flush-mount box allowing mounting of Icona series monitors on plasterboard and/or cement walls. Dimensions: 129x129x50 mm



6620

WALL BRACKET FOR ICONA MONITOR

Wall bracket for Icona monitor. Colour: White. Dimensions: 137X142X12.5 mm.



1214/2C

VIDEO FILTER FOR SIMPLEBUS COLOUR SYSTEM

Line branch terminal for colour monitors. The terminal must be connected on the riser to be branched towards brackets or telephones.



6117

PLANUX, SMART, ICONA FLUSH BACKBOX


Flush mounted box for Planux, Smart and Icona monitors Dimensions: 132x132x50mm



6602W

ICONA MONITOR, VIP H264

ACCESSORIES



6118

PLANUX CLIPS FOR DRY LINED WALLS
Installation kit for plasterboard walls.