



6722W

## MINI HANDSFREE BM MONITOR, VIP



Handsfree colour monitor for VIP system. 4.3" / 16:9 colour screen. 480x272 pixel resolution. H264 video format. All the main functions and programming operations can be performed from a graphic menu that can be navigated using the function keys. Equipped with 8 soft-touch keys: audio activation key with LED to signal incoming calls, lock-release key with door open indicator LED, Privacy function key with Led indicating ringtone excluded and Doctor function enabled, 4 programmable keys and 1 menu access key. Equipped with 3 programmable inputs. Adjustable backlight brightness and key feedback volume. Powered by PoE as standard or from VIP Comelit switches and power supply units. Includes induction loop with T position for users wearing hearing aids and answerphone function. Dimensions: 4.53"x6.3"x0.87".

### AWARDS





**6722W**

**MINI HANDSFREE BM MONITOR, VIP**

**MAIN FEATURES**

Audio/video system:	Yes
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	Yes
Induction loop function:	Yes
Type of display:	LCD
Display size (inches):	4,3" 16:9
Display resolution (H x V):	480x272
B/W or colour display:	Color
Product colour:	White
Sensitive Touch technology:	Yes
Total buttons:	8
LED signaling (No.):	4

**FUNCTIONS**

Actuator control function:	Yes
Self-ignition:	Yes
Switchboard call function:	Yes
Priority calls:	Yes
Intercom function:	Yes
Selective intercom call:	Yes
Call to multiple addresses:	Yes
Call to group addresses:	Yes
Call forwarding:	Yes
Privacy function:	Yes
Doctor:	Yes
Floor door call function:	Yes
Electronic bell:	Yes
Customisable ringtone:	Yes
Viewer energy consumption:	Yes
Alarm function:	Yes
Receiving text messages:	Yes
Images reception:	Yes
Sending emails on event:	Yes

**HARDWARE SPECIFICATIONS**

Type of finish:	Plastic
-----------------	---------

**SETTINGS**

Loudspeaker volume control:	Yes
-----------------------------	-----

The technical specifications are subject to variations without warning.



**6722W**

**MINI HANDSFREE BM MONITOR, VIP**

**SETTINGS**

Ringtone volume control:	Yes
Backlighting display:	Yes

**GENERAL DATA**

Product height (inches):	6.3
Product width (inches):	4.53
Product depth (inches):	0.87

**COMPATIBILITY**

Vip system:	Yes
-------------	-----

**TECHNICAL CHARACTERISTICS**

Power supply voltage:	36 ÷ 57
POE power supply:	Yes
IP Rating:	IP30
Operating temperature (°F):	41 ÷ 104
RH max operating humidity (%):	25 ÷ 75
Video encoding:	H.264
Product weight (oz):	1.19
Clamps:	-IN1 IN2 IN3
Network connection:	RJ45



6722W

## MINI HANDSFREE BM MONITOR, VIP

### ACCESSORIES



**6711WV**

ADAPTER PLATE FOR MINI HANDSFREE

Adapter plate to finish the installation of the Mini Handsfree monitor in case of replacement of flush-mounted or wall-mounted Planux, Smart and Icona monitors. White color. Dimensions: 6.69"x8.66"x0.12".



**6710**

BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR

Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm.



**6734W**

ADD. BUTTONS KIT HANDS-FREE MINI MONITOR, WHITE

Accessory for conversion of the monitors of the Mini series Art 6721W and 6721W/BM into 8-button versions. Includes an 8-button faceplate and an electronic module for button activation, which can be installed quickly without the need to open the monitor casing.



**6720**

BRCKT FOR ROUTING EXT. CABLES. HF MINI

Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables. Dimensions:106.3x149.60x19mm.



**6720V**

Bracket for routing Mini HF VIP external cables

Wall bracket for ViP system hands-free Mini monitor; allows through-routing of external cables.



**6732A**

DESK BASE FOR MINI HF SBC MONITOR



6722W

## MINI HANDSFREE BM MONITOR, VIP

### ACCESSORIES



**6732V**

Desk base for Mini HF VIP monitor

Desk base for desktop conversion of VIP system hands-free Mini monitor. Complete with 1 x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or residential series socket.