

DOOR ENTRY SYSTEMS

MINI AUDIO WITH HANDSET

1/4



2719W

5-BUTTON MINI DOOR-ENTRY PHONE, S2





MINI door-entry phone with electronic call, call volume adjustment, privacy function and conversation privacy. Equipped as standard with a series of key buttons and a further 4 buttons for intercom function or various services (1 of the buttons can be used as a C/N.O contact). Equipped with an LED that may be used for various signals (busy, doctor function). Complete with 8-position dip-switch for selection of the desired user code. Door-entry phone for use in all Simplebus systems. Equipped with a selector for setting the type of system (Simplebus 1 or Simplebus2). Allows management of floor door call, call repeat, sending of alarm signals, call to main switchboard and secondary switchboard and intercom call function. Fitted with terminal art. 1214/2C. Dimensions: 105x191x28 mm

AWARDS

DESIGN MILANO



2719W

5-BUTTON MINI DOOR-ENTRY PHONE, S2

	GENERAL DATA
Height (inch) (in)	7.48
Width (inch) (in)	4.13
Depth (inch) (in)	1.1
Product color	White
Type of finishing materials	Plastic
Product weight (oz) (oz)	9.17
Wall-mounted	Yes
Desk base-mounted	Yes

HARDWARE FEATURES	
Clamps	L L CFP CFP
Total buttons (n°)	5
LED signaling (no.) (n°)	1

ENVIRONMENTAL AND COMPLIANCE FEATURES		
Operating temperature (°F)	41 ÷ 104	
GENERAL FEATURES		

The technical specifications are subject to change without prior notice.



2719W

5-BUTTON MINI DOOR-ENTRY PHONE, S2

GENERAL FEATURES	
Acoustic signalling	Yes
Visual signalling	Yes
Audio system	Yes
Simplebus 1 audio system	Yes
Simplebus 2 audio system	Yes
Simplebus 2 audio/video system	Yes
Electronic bell	Yes
Customisable ringtone	Yes







2719W

5-BUTTON MINI DOOR-ENTRY PHONE, S2

ACCESSORIES



2742W DESK BASE FOR MINI DOOR-ENTRY PHONE WITH HANDSET

Desk base for desktop conversion of MINI series door-entry phones. Complete with 1.5 m cable and connection coupling.