# COMELIT

#### **DOOR ENTRY SYSTEMS**

#### **MINI AUDIO WITH HANDSET**

1/3



2812W

## 2-BUTTON MINI DOOR-ENTRY PHONE FOR KIT KCA0061





Mini series additional door-entry phone with handset for kit art. KCA0061, with electronic call, call volume adjustment and privacy. Features a key button and a free button (C/NO). Allows call repetition. Dimensions: 103x190x30 mm



#### **DOOR ENTRY SYSTEMS**

### **MINI AUDIO WITH HANDSET**





#### 2812W

Wall-mounted

Desk base-mounted

2-BUTTON MINI DOOR-ENTRY PHONE FOR KIT KCA0061			
	GENERAL DATA		
Height (inch) (in)	7.48		
Depth (inch) (in)	1.18		
Type of finishing materials	ABS		
Product weight (oz) (oz)	10.58		

AUDIO FEATURES	
Technologies implemented	Full-Duplex

Yes, with a dedicated accessory

Yes

ELECTRICAL CHARACTERISTICS	
Type of power supply	External power supply
Supply voltage	12VAC

HARDWARE FEATURES	
Type of buttons	Mechanical
Service buttons	Lock-release
Number of outputs (n°)	1
Total buttons (n°)	2

ENVIRONMENTAL AND COMPLIANCE FEATURES		
Operating temperature (°F)	41 ÷ 104	
Operating humidity (RH max) (%)	25 ÷ 90	
Environmental class	III	
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007, EN 61000-6-3:2007+A1:2011)	

GENERAL FEATURES	
Door opener	Yes
Absorption during call (mA)	100
Absorption during communication (mA)	30

The technical specifications are subject to change without prior notice.

# COMELIT.

#### **DOOR ENTRY SYSTEMS**

### **MINI AUDIO WITH HANDSET**

3/3



#### 2812W

2-BUTTON MINI DOOR-ENTRY PHONE FOR KIT KCA0061		
GENERAL FEATURES		
Maximum current absorption (mA)	100	
Minimum current absorption (mA)	5	
Silent mode (Privacy)	Yes	
Ringtone volume control	Yes	
Output for call repetition	Yes	