



**3008NA**

## ALUMINIUM AUDIO ENTRANCE PANEL, 8 BUTTONS



Door-entry phone entrance panel with front plate in 4 mm thick anodised aluminium, buttons with 16 mm diameter, impact-proof grille. Complete with flush-mounted box and anti-intrusion screws. Equipped with a module holder and bulb socket for festoon bulbs (not supplied), diameter 6.3 x 39 mm. The entrance panel should be finished with a door-entry phone audio speaker unit depending on the wiring system used. 8 buttons, 2 wires. Plate dimensions 180x293x4 mm. Box dimensions 156x275x55 mm. 1 bulb socket



**3008NA**

## ALUMINIUM AUDIO ENTRANCE PANEL, 8 BUTTONS

### GENERAL DATA

Flush-mounted

Yes



**3008NA**

## ALUMINIUM AUDIO ENTRANCE PANEL, 8 BUTTONS

### ACCESSORIES



**1250IA** ACCESSORY FOR MOUNTING IKALL AUDIO UNITS ON SING.-PLATE PAN.

Accessory allowing the installation and use of Ikall audio modules part. 1622, 1622VC, 1622VCF and 1682 on single-plate panels and N, AV/4 series. Fitted with a voltage reducer for powering festoon lamps if used with power supply unit 1595 or 1207.