



**3014NA**

## **ALUMINIUM AUDIO ENTRANCE PANEL, 14 BUTTONS**



Entry phone entrance panel with 4 mm thick anodised aluminium front plate, 16 mm diameter buttons, impact-proof grille. Complete with flush-mount box and anti-intrusion screws. Equipped with module holder and bulb sockets (without bulb) for festoon bulbs with a diameter of 6.3 x 39 mm. The keypad should be completed with an audio/video unit appropriate for type of the wiring system. 14 buttons, 2 rows. Plate dimensions: 180x362x4 mm. Box dimensions: 156x344x55 mm. 1 lamp socket



**3014NA**

**ALUMINIUM AUDIO ENTRANCE PANEL, 14 BUTTONS**

**GENERAL DATA**

Flush-mounted

Yes



**3014NA**

## ALUMINIUM AUDIO ENTRANCE PANEL, 14 BUTTONS

### ACCESSORIES



**1250IA** ACCESSORY FOR MOUNTING IKALL AUDIO UNITS ON SING.-PLATE PAN.

Accessory allowing the installation and use of Ikall audio modules part. 1622, 1622VC, 1622VCF and 1682 on single-plate panels and N, AV/4 series. Fitted with a voltage reducer for powering festoon lamps if used with power supply unit 1595 or 1207.