



**3063U**

## **SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE**



Interface for the management of 8 buttons, for use in the creation of single-plate entrance panels. Compatible with all systems. Works in conjunction with audio or audio/video modules for the Ultra series entrance panel and audio or audio/video unit EU series. Complete with cable with connectors for connection to the audio or audio/video module, or other button interfaces; length 475mm. Dimensions (L x H x D): 74 x 42 x 18 mm.



**3063U**

**SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE**

**GENERAL DATA**

Height (mm)	42
Width (mm)	74
Depth (mm)	18
Type of finishing materials	Plastic
Product color	Black RAL9005
Wall-mounted	Yes

**COMPATIBLE SYSTEMS**

Audio/video Simplebus 2 with power supply art. 4888C	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

**ELECTRICAL CHARACTERISTICS**

Type of power supply	Power supply from video door entry bus
----------------------	--

**HARDWARE FEATURES**

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	8
Clamps	C P1 P2 P3 P4 P5 P6 P7 P8 C

**PROGRAMMING MODE**

ViP Manager software	Yes
----------------------	-----

**ENVIRONMENTAL AND COMPLIANCE FEATURES**

Operating temperature (°C)	-25 ÷ 55
----------------------------	----------



**3063U**

## **SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE**

### **ENVIRONMENTAL AND COMPLIANCE FEATURES**

Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)