




AHDVR004N05ASL

XVR 4 INPUTS 5MP, AI, NO HDD



NEXT
SERIE

"5-hybrid stand-alone digital video recorder (AHD/TVI/CVI/CVBS/IP), 4 analogue video inputs and 2 IP video channels. Compression H.264/H.265. Compatible with browsers: IE/Google Chrome/Edge/Firefox/Safari. 12 V power supply unit included. This DVR connects to Comelit servers protected by AWS services."

AWARDS





AHDVR004N05ASL

XVR 4 INPUTS 5MP, AI, NO HDD

MAIN FEATURES

Video inputs	4 (BNC) 5MP/4MP/1080P/720P/WD1 + 2 (IP) 5MP. Max IP: 0 (BNC) + 6 (IP) 5MP
Main video output	1 (VGA), 1 (HDMI), 1920x1080.
Spot video output	1 (BNC)
Audio Inputs/Outputs	1 / 1
Video compression	H.264, H.265
Playback / recording frame rate	BNC: 5MP Lite (1280x1936) @10fps; 4MP Lite (1280x1440) /1080P @15fps; IP @30fps
Additional Hard Disks (SATA)	1 (10TB max)

SOFTWARE/FIRMWARE SPECIFICATIONS

Recording methods	Automatic, manual, programmed, event
Recording type	Dual streaming
Protocols supported	DHCP, HTTP, HTTPS, ONVIF (Profile-S), ONVIF (Profile-G), ONVIF (Profile-T)
IP assignment	DHCP, manual
Max bandwidth (Mbps)	16
Remote control via browser	IE/Chrome/Edge/Firefox/Safari
Remote control by software	Comelit CCTV Manager
Remote control by mobile	APP Comelit CCTV
Users connected at the same time	5
Main functions	Video analysis (only with dedicated cameras)

FUNCTIONS

Motion detection	396
Privacy zones (n°)	4

HARDWARE SPECIFICATIONS

Type of connections/ports	1 x Ethernet 10/100/1000 Mbit/s, 2xUSB 2.0, 1xRS485
Fanless	Yes



AHDVR004N05ASL

XVR 4 INPUTS 5MP, AI, NO HDD

GENERAL DATA	
Max absorption (W)	5
Power supply voltage (VDC)	12
Height (mm)	42
Width (mm)	255
Depth (mm)	222
Product weight (g)	1080
Type of finishing materials	Metallic
Product color	Black
Operating temperature (°C)	-10 ÷ 50
Operating humidity (RH max) (%)	25 ÷ 90
Supplied accessories	Power supply, Mouse