



**CA0061**

**1-BUTTON CIAO ENTRANCE PANEL. 2-WIRE ANALOG.**



Ciao series outdoor audio entrance panel for 2-wire analogue systems and designed for 1-call systems for kit art. KCA0061. Front panel in synthetic polymer, resistant to atmospheric agents (IP54 protection rating and paint with anti-UV treatment) and acts of vandalism (IK08 protection rating). Complete with call button art. CA9213. Wall installation support included.



**CA0061**

## 1-BUTTON CIAO ENTRANCE PANEL. 2-WIRE ANALOG.

### GENERAL DATA

Type	Monoblock
Height (mm)	172
Width (mm)	100
Depth (mm)	28
Product color	Gray RAL 7042
Product weight (g)	300
Type of finishing materials	Technopolymer
Wall-mounted	Yes

### AUDIO FEATURES

Microphone	4mm (Ø), Omnidirectional
Loudspeaker	50mm (Ø), 50 Ohm, 0.25W

### ELECTRICAL CHARACTERISTICS

Type of power supply	External power supply
Supply voltage	12VAC
Maximum absorption (W)	15

### HARDWARE FEATURES

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	1
Backlight colour	White

### SETTINGS

Loudspeaker volume	Yes
Microphone volume	Yes

### ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP54
----------------------	------



**CA0061**

**1-BUTTON CIAO ENTRANCE PANEL. 2-WIRE ANALOG.**

**ENVIRONMENTAL AND COMPLIANCE FEATURES**

Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	20 ÷ 95
Environmental class	IV
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

**MAIN FUNCTIONS**

Input for local door release button	Yes
-------------------------------------	-----