




**IX0324**

## SWITCH FRONT PLATE WITH 24 BUTTONS - 3 COLUMNS



Front plate for Switch entrance panel in 2.5 mm thick brushed AISI 316 stainless steel. Adapter art. 1250U (supplied) offers the option of using the audio or audio/video module - not supplied - depending on the type of wiring applied (Simplebus digital 2-wire or ViP). Complete with 24 pre-fitted, pre-wired buttons, arranged in 3 columns. White LED nameplate backlighting. Nameplate replacement from the front. Protection rating IK08. To be finished with flush-mounted box or surface-mounted casing (not supplied). Dimensions (L x H x P): 302.9 x 448.9 x 2.5 mm.

### AWARDS



**IX0324**

**SWITCH FRONT PLATE WITH 24 BUTTONS - 3 COLUMNS**

**GENERAL DATA**

Type	Monoblock
Height (mm)	448.9
Width (mm)	302.9
Depth (mm)	2.5
Product color	Steel
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory

**COMPATIBLE SYSTEMS**

Compatible audio and audio/video units	Art.1682, Art.1682HVC, Art.4682HD, Art.1621, Art.1622, Art.1622VC, Art.4680C, Art.4681
Audio/video Simplebus 2 with power supply art. 4888C	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Simplebus 2 audio/video kit with power supply art. 1209	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

**AUDIO FEATURES**

Technologies implemented	Echo canceling
--------------------------	----------------

**HARDWARE FEATURES**

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	24
Backlight colour	White



**IX0324**

## SWITCH FRONT PLATE WITH 24 BUTTONS - 3 COLUMNS

### ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP54
Vandal Resistant rating (IK code)	IK08
Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	III



**IX0324**

## **SWITCH FRONT PLATE WITH 24 BUTTONS - 3 COLUMNS**

### **ACCESSORIES**



**IX9165 HOUSING FOR FRONT PLATE W/ 24-27-30-33 BUTTONS**

Surface-mounted casing for entrance panels art. IX0324, IX0327, IX0330 and IX0333 with 24-27-30-33 buttons.



**IX9155 FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 24-27-30-33**

Flush-mounted box for entrance panels art. IX0324, IX0327, IX0330 and IX0333 with 24-27-30-33 buttons. Dimensions: 276.9x422.9x56 mm.