




IX9201

ELECTRONIC KEY FRONT PANEL. 2 COLUMNS



Digital electronic key front plate with LED keypad backlighting and stainless steel finish, for Switch entrance panels with 2 button columns. Allows the operation of electric door locks or other devices. Dimensions: 216.4x129.5x2.5 mm.



IX9201

ELECTRONIC KEY FRONT PANEL. 2 COLUMNS

GENERAL DATA

Height (mm)	129.5
Width (mm)	216.4
Type of finishing materials	Stainless steel AISI 316
Product color	Steel
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS

Audio/video Simplebus 2 with power supply art. 4888C	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

ELECTRICAL CHARACTERISTICS

Supply voltage	12VDC
Absorption in stand-by (W)	0.2
Maximum absorption (W)	1

HARDWARE FEATURES

Type of buttons	Mechanical
Number of push-buttons (n°)	12
Number of inputs (n°)	1
Number of outputs (n°)	2
Type of outputs	Relay (C-NO-NC, 5A@12÷24 VAC/VDC)

ENVIRONMENTAL AND COMPLIANCE FEATURES

Vandal Resistant rating (IK code)	IK08
-----------------------------------	------



IX9201

ELECTRONIC KEY FRONT PANEL. 2 COLUMNS

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
Certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

MAIN FUNCTIONS

Number of auxiliary relays (n°)	2
Access control via door opener code	Yes
Number of door opener codes (n°)	110



IX9201

ELECTRONIC KEY FRONT PANEL. 2 COLUMNS

ACCESSORIES



IX9157 FLUSH-MOUNTED BOX ACCESSORY FRONT PANEL. 2 COLUMNS

Flush-mounted box for front plate accessory for Switch series entrance panels with 2 columns. Dimensions: 190.4x110.5x55 mm.