

Product Code

F09534

1/W MILO VIDEO PANEL WITH PROX MEET



Reference

9534

EAN

8424299095349

Description.

Description

1L MEET VIDEO CARD PoE available in two different versions: with Mifare proximity reader or without reader.

SPECIFICATIONS

- Aluminum profile
- Tempered glass
- High definition color camera
- Low consumption
- Extended operating range
- Modular Linux-based platform
- Integrated Access Control (only in Ref.9534 with integrated proximity reader)
- Remote Firmware Update

FUNCTIONS

- CALL TO APARTMENT Visitors can call the apartment associated with the plate.
- CALL TO CONCIERGE It is possible to make calls for assistance to the concierge associated with the panel.

REFERENCES

- Ref. 9533 1L MEET VIDEO CARD
- Ref. 9534 1L MEET VIDEO CARD (+ PROXIMITY READER)
- Ref. 9543 FLUSH BOX – S MEET
- Ref. 9519 SURFACE BOX – S MEET (Stainless steel)

Not compatible with Elevator Control function

Technical Details

System:

- CPU: ARM Cortex-A7 1.2GHz
- FLASH: 128M
- SDRAM: 64M

Audio Features:

- G.711 protocol
- Audio level 17.7 dB

Camera:

- 1/3" CMOS Color
- 120° visual angle. 52° (V), 100° (H)
- 1,2 Mega Pixels
- Minimum illumination 0.5 LUX
- AWB

LED:

- White LED
- LM 60 mA Min. 24, Typ. 26
- View Angle 2θ1/2: 120

Power Consumption:

- On standby: 125mA
- Working: 250mA

Working voltage:

- PoE/12 VDC

Connectivity:

- Ethernet RJ-45 Connector PoE
- Exit button and door sensor connection
- NO, C, NC: Door lock release connection
- Built in web server for configuration and remote management

Working Environment:

- Temperature: -25 oC – 70 oC
- Humidity: 10 – 90% (non-condensing)
- IP 65

Built-in MIFARE Classic reader (ref. 9434):

- 4-bytes cards only (see ref. 52740/52750)

CONNECTIONS

- RJ-45 10/100 Base-T Ethernet
- +, -, : 12 Vdc Power input
- BS, -, NA, SP: Exit button and door open sensor
- NO, C, NC: Door opening relay terminals
- 485+, 485-: RS485 serial port

Note: Using the panel in conjunction with other accessories may affect and reduce the IP and IK protection ratings. It is recommended that the assembly be sealed once installed.

Details.

Product measurements (height x
width x depth) mm

183x188x49

Weight (kg)

0.804

Packaging measurements
(height x width x depth) cm

8x25,5x16,5

Video Door Entry system
Technologie

MEET

Access Control Technology

PROXIMIDAD


Manuals

- 970137Eg_Man_Inst_Placa_1L_MEET_V07_22.pdf
- 970137Ig_Man_Inst_Placa_1L_MEET_V07_22.pdf

Declaration of conformity

- DOCF09534EN.pdf

Accessories



F09518

MILO 1W PANEL SURFACE BOX
MEET



F09543

1/W MILO PANEL FLUSH BOX MEET

Video

- <https://www.youtube.com/playlist?list=PLf1YNFmssC36Bny27XXrgeUpOEATFOYo7>