

TECHNICAL DATA SHEET

GD5324/4

Digital Day/Night Impact Resistant Dome Camera With IR LED's



GD5324/4

KEY FEATURES

- Horizontal Resolution of 630 TVL
- High Sensitivity
- Electronic Iris
- Weather Proof (IP66)
- 3 Axis Built-In Vandal Resistant Dome Housing

ORDERING INFORMATION

GD5324/4 DDN Impact Resistant Dome Camera,
4mm DC AIVF Lens, IR LEDs

TECHNICAL DATA SHEET

TECHNICAL SPECIFICATION

Model Number	GD5324/4
Image Sensor	1/3" Sony Super HAD CCD
Total Pixels	795(H) x 596(V)
Effective Pixels	752(H) x 582(V)
Scanning System	2:1 Interlace
Scanning Frequency	Horizontal : 15,625KHz Vertical : 50.00Hz
Shutter Speed	1/50s ~ 1/100,000s
Sync System	Internal
Resolution	More Than 630 TVL
Video Output	1.0p-p Composite Signal (75ohm)
White Balance	ATW
S/N Ratio	More Than 48dB
Minimum Illumination	0 Lux For Infrared Lighting Conditions
LED Quantity	24PCS
Lens	Fixed Board Lens (Option)
IP Rating	IP66
Power Consumption	DC 12V/80mA (CDS ON : 370mA Max)
Operating Conditions	Temperature : -10°C ~ +50°C Humidity : 0 ~80% RH
Dimensions	93mm x 80mm
Weight	Approx. 540g

Features and specifications are subject to change for further improvement without any notice.