

Video doorphone and
doorphone kits



Kit

One-family or two-family home installations:



T-line Kit



Video doorphone and
doorphone kits

a full range of wiring solutions and designs.

Classic kit



M-inox kit



B-fast kit



The best solutions for the smallest spaces.

Bitron Video doorphone and video doorphone system kits contain everything you need for handy, fast installation - all in one box.



Convenient and fast. Using a kit will help you save time as well. No time wasted looking for loose components of door panels and power supply units: Bitron Video has prepared everything you need in advance.

Handy and practical. The kit case is easy to carry. The appealing graphics make it an effective presentation tool to customers.



Smart and complete. Bitron Video kits contain design solutions for various system types so that you are free to choose.

Make way for colour. And security.

Bitron Video recommends colour for the most discerning customers.

The state-of-the-art technology of the screens perfectly complements today's most modern interior design trends. What is more, colour monitors provide a sharper picture for additional security. Security and peace of mind are increasingly more important values. In isolated houses, they are basic needs that improve the quality of life.


For these customers, Bitron Video offers a range of kits with camera: an extra eye for keeping a watch on the security of your home.



From apartment stations

In a trim, elegant home each and every detail must be coordinated. This is why Bitron Video has created a complete design style for T-line kits containing doorphones, video doorphones and panels. Matching style, all from the drawing board of the same architect, all belonging to the same, comprehensive project. The kit range today includes the extra-slim M-inox stainless steel panel: minimum size and maximum toughness.

Choose the product you like and combine everything you see as you wish: Bitron Video has already put your desires in a convenient box.



Doorphones
and video doorphones:
elegance is smart.

A minimal, clear-cut design characterises T-line doorphones and B/W and colour video doorphones alike. **Innovative technology and the illusion created by design make doorphones and videodoorphones only just protrude from the wall.** Technology and design meet again in the video versions. **The 4" colour LCD is black** when it is off: the dark polycarbonate trimming makes the colour of the monitor mould into that of the video doorphone body. **The 4" black and white version**, on the other hand, has a light colour when it is off and in this case **the polycarbonate trimming is clear** for striking appearances. The entire T-line doorphone and video doorphone range is compatible with all system types including kits.



to panels: free to choose.



Simple and modern:
design in less than 10 cm.

T-line Designed by Trabucco, the new Bitron Video panel complements the T-line range, offering a harmony of coordinated shapes which is so important in your home.

Both **the audio and the video** T-line panel versions are painstakingly **designed to combine looks and practical needs**. This is why they are extra-thin: light and essential, **being less and 100 mm in size, the panels are ideal for installing on gate pillars**.



The new T-line panel is made of anodised aluminium and has blue LED name tag backlighting.

M-inox 56 mm of pure force.

M-inox M-inox is the Bitron Video audio panel combining the toughness of steel and the tiniest dimensions. Ideal for pillar-mounted solutions. Streamlined style and rugged construction: the protective hood is included in all kits.

The effective blue LED backlighting will add a touch of elegance to the night.



House kits: many functions all in one box

- * Expandable up to 4 internal extensions
- * Intercom functions
- * Floor calls
- * Door opener service

...all wiring types.

Discover the advantages of our expandable kits

Bitron Video offers a set of expandable kits: the heart of the system is all contained in one box. Our convenient, easy-to-carry packages contain the doorphones, video doorphones, door panels and power supplies which form the basic system for all buildings, from the smallest to the largest and for all system types chosen from the Bitron Video range.

- * Unlimited number of users
- * Unlimited number of doors
- * All in a practical kit.



Specifications table:

Doorphone

CABLE	INTEGRAL 2 WIRE	1+n				4+n					
PANEL	T-line	T-line		M-inox		T-line		M-inox		Domular Classic Evolution	
M - One family B - two families	M	M	B	M	B	M	B	M	B	M	B
KIT CODE	AV1860/1	AV2066/21	AV2066/22	AV1183/101	AV1183/102	AV2058/51	AV2058/52	AV1191/101	AV1191/102	AN9920/LT	AN9938/LT


ADDITIONAL CHARACTERISTICS:

Additional push-button; opening main principal door; conversation volume adjustment + mute (*); floor calling (*); call feedback (*); 1 parallel door phones and 1 additional loudspeaking unit (*); maximum extension 300 m (**)

(*) excluded AV1860/1 kit

(**) 110 m for kit AV1860/1

Video Doorphone

CABLE	INTEGRAL 2 WIRE	5 WIRE – without coaxial cable			2 NON POLARIZED WIRES “B-FAST”			
PANEL	T-line							
M - One family B - two families	M	M	B	M	M	M	M	
KIT CODE	B/W	AV4161/1	AV4179/51	AV4179/52	AV4005/050		AV4005/051	
		AV4161/2				AV4005/060	AV4005/061	
ADDITIONAL SURVEILLANCE VIDEO CAMERA	NO	NO	NO	YES - (up to 4)	YES - (up to 4)	YES - (up to 4)	YES - (up to 4)	
ADDITIONAL SURVEILLANCE VIDEO CAMERA INCLUDED IN KIT	NO	NO	NO	NO	NO	YES	YES	
FLOOR CALLING	NO	NO	NO	YES	YES	YES	YES	
VIDEO MONITOR IN PARALLEL	NO	YES (*)	YES (*)	YES (**)	YES (**)	YES (**)	YES (**)	
INTER-COMMUNICATION	NO	NO	NO	YES	YES	YES	YES	
DIFFERENTIATION OF RING TONES	NO	NO	NO	YES	YES	YES	YES	
ADDITIONAL EXTERNAL PANELS	-	1	1	-	-	-	-	
MAXIMUM LENGTH (METER)	100	200	200	150	150	150	150	

ADDITIONAL CHARACTERISTICS:

Additional services (secondary lock - stairs/hall lighting); conversation volume adjustment + mute; adjustable video camera; opening main principal door; timer for door opening (for 2 wire system only); self-insertion;

(*) with additional power supply

(**) up to 4. Using ONLY included power supply