

Lithos



Singles or Doubles?

THE NEW VIDEO ENTRY SYSTEM




bpt

LATEST GENERATION ELECTRONICS, STATE-OF-THE-ART CAMERA, EXPANDABLE AND VERSATILE, SIMPLE TO INSTALL WITH ONLY TWO WIRES.

Compact and ultra-slim (protruding just 30mm from the wall), Lithos will blend perfectly into any setting thanks to its soft lines and elegant brushed stainless steel finish.

The gate station features the latest generation colour camera and can be used with all of BPT's handsets, black and white, colour and audio, Lynea, Ophera and Mitho. Mix them up as you please.

Lithos is expandable up to four calls and includes intercommunicating functions as a standard without the need for supplementary power supply (* See installation manual for further details)



DIMENSIONS:
99 x 207 x 30mm



NEW VIDEO RECEIVERS - LYNEA BASIC

(available in Colour and B/W)

The Lynea Basic receivers feature intercommunicating functions, powersave video switching between master and slave monitors as standard.

The audio and video feed is automatically directed to the receiver from which the user answers the call, whether this is the master or slave unit, without the need for additional power supply or supplementary wiring.




EXAMPLES OF INSTALLATIONS POSSIBLE WITH LITHOS


(*for some configurations extra equipment may be required)




ONE CALL TO ONE HANDSET



ONE CALL TO (UP TO) EIGHT LYNEA BASIC HANDSETS - INTERCOMMUNICATING



TWO CALLS TO FOUR HANDSETS IN TWO GROUPS



FOUR CALLS TO FOUR HANDSETS IN FOUR GROUPS

• When using Ophera Monitors extra power supply is required

SINGLES OR DOUBLES? MIXED DOUBLES PERHAPS? THE CHOICE IS YOURS...

Lithos offers you unmatched expandability and flexibility:

- Up to eight handsets (Lynea Basic) on one call, intercommunicating (in two groups) without the need for further power supply. (*Ophera monitors will require extra power supply).
- Up to three entry panels.
- Up to four calls/eight handsets per call.
- Compatible with all BPT handsets which can be used and mixed according to your needs, black and white, colour, audio
– Lynea, Ophera and Mitho.

KITS

Lithos is offered in three kits – All include the Lithos entry panel and the VAS/101 power supply but feature different receivers: Ophera, Lynea Basic Colour or Lynea Basic B/W.



ALL ON TWO WIRES. ALL AT AN INCREDIBLE PRICE. GAME SET AND MATCH!





One... Two... Four

Lithos can be fitted with one, two or four pushbuttons to accommodate your installation needs. Replacement of the buttons is quick and easy, without having to remove the external surround.



Superb video quality day and night

With its ultra-modern sensors and built-in digital image processing algorithms, Lithos guarantees superlative video quality in any ambient conditions, day or night.



Excellent field of vision


Lithos features a video camera with an extra-wide angle of aperture that gives an excellent field of vision – from a distance of just 50cm the camera captures an 80cm area in width.

Horizontal lens aperture angle	94°
Vertical lens aperture angle	77°



Impact resistant and watertight

The panels in the Lithos are built to last. With their incredibly robust construction and IP54 protection rating, they truly have nothing to fear, day or night, Summer or Winter.



MADE IN ITALY

FOR FURTHER INFORMATION AND SUPPORT
Email: lithos@bpt-sa.co.za

TriBPT Automation (Pty) Ltd. TRI since 1968

Head Office - Johannesburg: Tel +27 (0)11 616 3222

Natal: Tel +27 (0)31 566-5199

Cape: Tel +27 (0)21 981-8227

Internet: www.bpt-sa.co.za **Email:** info@bpt-sa.co.za

LITHOS VIDEO SYSTEMS

LITHOS KITS



ITEM
LVKITYVL04

Single-home kit comprising: Lithos entry panel, Lynea Basic B&W receiver and VAS/101 power supply



ITEM
LVKITYVCL04

Single-home kit comprising: Lithos entry panel, Lynea Basic Colour receiver and VAS/101 power supply



ITEM
LVKITOPH04

Single-home kit comprising: Lithos entry panel, Ophera receiver and VAS/101 power supply

LITHOS VIDEO ENTRY PANEL



ITEM
LVC/01

Lithos colour video entry panel with X1 system (without DPH button)

LITHOS RECEIVERS



ITEM
YVL301

Lynea basic black and white video receiver



ITEM
YVCL301

Lynea basic colour video receiver



ITEM
OPHERA

Hands free colour receiver

LITHOS ACCESSORIES

ITEM
DPS

Single pushbutton

ITEM
DPD

Double pushbutton

ITEM
DPH

Double height pushbutton

ITEM
LTP

Wall mount rain cover

ITEM
VAS/101

Power supply: 230V, 50Hz, 60VA
4-unit low-profile module with DIN guides

ITEM
PHPK

Ophera surface mount bracket